TECHNICAL DATA SHEET

XENOL ELITE MULTI C4 LA 5W-30 SN/CF

Product Description and Field of Use

It is a high-performance synthetic engine oil developed for gasoline and DPF-equipped diesel engines of Mercedes, Renault and Nissan vehicles. It can be safely used in diesel engines which require oil use at Renault RN 0720 approved and ACEA C4 performance level.

Properties and Benefits

- Ensures maximum environmental protection by contributing to low exhaust emission levels
- Ensures a long life of the diesel particulate filter thanks to its low SAPS content.
- Since it has been produced with Low Friction Technology and thanks to its excellent fluidity performance, it creates a durable oil film at every temperature, minimizing the wear that occurs during engine start-up and warm-up.
- Provides easy start-up and fuel economy in cold weather.
- Distributes the dirt formed as a result of burning in the environment and prevents the accumulation of sediment thanks to the detergent-dispersant additives it contains.

Specifications and Approvals Fulfilled

API SN; ACEA C4; Renault RN 0700; MB APPROVAL 226.51; MB 229.51

Typical Properties*

· yprodi · · · operato		
<u>UNIT</u>	TEST METHOD	TYPICAL VALUES
g/cm³	ASTM 4052	0.849
cSt	ASTM D 445	9.3-12.5
	ASTM D 2270	170
°C	ASTM D 92	210
°C	ASTM D 97	-39
	g/cm³ cSt °C	g/cm³ ASTM 4052 cSt ASTM D 445 ASTM D 2270 °C ASTM D 92

^{*} Values may vary between productions.

Storage Conditions

It should be protected from direct sunlight and precipitation. Packages should be stored in a sealed way, under a porch or in indoor areas. Storage temperature should be between (+5)-(+40)°C.

Health and Safety Information

In the light of the available information, this product is not expected to create a negative impact on human health when used in the intended location and under the specified conditions of use. Used product should not be incinerated or poured into soil and waste water channels. Waste oils should be sorted into categories according to Regulation on Control of Waster Oils, and disposed of via licensed enterprises having the properties defined in this regulation. Please read the Material Safety Sheet when necessary.

XENOL/TDS/19.07.2022-28



